



NOTE: FOR MEASUREMENTS, MATERIALS, FINISH, AND INSPECTION, REFER TO PURCHASING SPEC. NO. 11-34, (LATEST EDITION).

GRATINGS MAY REQUIRE SPECIAL ORDER FROM MANUFACTURER/FOUNDRY

NO.	A	B	C	D	E	F	G	NUMBER OF BARS	COMPUTED WEIGHT IN POUNDS
1	5'-0"	2'-0"	5'-2-3/4"	2'-2-3/4"	2-1/4"	1-3/8"	1'-10"	19	333 ±
2	4'-6"	1'-10-1/2"	4'-8-3/4"	2'-1-1/4"	2-1/4"	1-3/8"	1'-8-1/2"	17	289 ±
3	4'-0"	1'-9"	4'-2-1/2"	1'-11-1/2"	2"	1-1/4"	1'-7"	15	203 ±
4	3'-6"	1'-7-1/2"	3'-8-1/2"	1'-10"	2"	1-1/4"	1'-5-1/2"	13	171 ±
5	3'-0"	1'-6"	3'-2-1/4"	1'-8-1/4"	1-3/4"	1-1/8"	1'-4"	11	113 ±
6	2'-6"	1'-4-1/2"	2'-8-1/4"	1'-6-3/4"	1-3/4"	1-1/8"	1'-2-1/2"	9	91 ±
7	2'-0"	1'-3"	2'-2"	1'-5"	1-1/2"	1"	1'-1"	7	55 ±
8	1'-6"	1'-1-1/2"	1'-8"	1'-3-1/2"	1-1/2"	1"	11-1/2"	5	41 ±
9	1'-0"	1'-0"	1'-2"	1'-2"	1-1/2"	1"	10"	3	28 ±

THE  
METROPOLITAN SEWER DISTRICT  
OF  
GREATER CINCINNATI  
**STANDARD INTERCEPTOR  
INLET GRATING**

NO SCALE

DATE: JUNE, 2009

APPROVED:

*Thomas Schwies*  
SEWERS CHIEF ENGINEER

T.R.S.

ACC. NO. 49027